



Products » Clearance lamps » FT-075 LED

2-functional **LED** clearance lamp - low power consumption.

European **E9** homologation

ElectroMagnetic Compatibility - **EMC** certificate

Optional polarity connection

ASSEMBLY SCREWS ARE NOT VISIBLE

TIMELESS DESIGN

INNOVATIVE ASSEMBLY „CLICK-ON“

HIGH LEVEL OF LIGHT EMISSION

2-FUNCTIONAL ANGLE HOLDER

Lamp functions:

-rear clearance light with reflector

-front clearance light with reflector

-side clearance light with reflector

Technical specification:

- supply voltage: **12-36V DC**

- operating temperature: - **40°C to +55°C**

- lamp is resistant to any weather conditions

- lamp is fully airtight


Power consumption:

12V/24V=0,08A/0,08A

Power consumption / Rated power:

12V/24V = 1,0W/2,0W



ID/EAN	Photo	Description	Individual package		Carton			Palette		
			qty.	kg	qty.	cm	kg	qty.	cm	kg
FT-075 B LED		Clearance lamp 12-36V, white with reflector and wiring loom.	10	1,06	200	59x39x29	21,20	4000	120x80x165	449,00
FT-075 B LED QS075		Clearance lamp 12-36V, white with reflector, wiring loom dt. 0,5 m and connector QS075.	10	1,12	200	59x39x29	22,40	4000	120x80x165	473,00

										
FT-075 B LED QS150		Clearance lamp 12-36V, white with reflector, wiring loom dt. 0,5 m and connector QS075.	10	1,16	200	59x39x29	23,20	4000	120x80x165	489,00
FT-075 B+K LED		Clearance lamp 12-36V, white with reflector angle holder and wiring loom.	10	1,08	200	59x39x29	21,60	4000	120x80x165	457,00
FT-075 B+K LED QS075		Clearance lamp 12-36V, white with reflector, angle holder, wiring loom and connector QS075.	10	1,14	200	59x39x29	22,80	4000	120x80x165	481,00
FT-075 B+K LED QS150		Clearance lamp 12-36V, white with reflector, angle holder, wiring loom and connector QS150.	10	1,18	200	59x39x29	23,60	4000	120x80x165	497,00
FT-075 C LED		Clearance lamp 12-36V, red with reflector and wiring loom.	10	1,06	200	59x39x29	21,20	4000	120x80x165	449,00
FT-075 C LED QS075		Clearance lamp 12-36V, red with reflector, wiring loom dt. 0,5 m and connector QS075.	10	1,12	200	59x39x29	22,40	4000	120x80x165	473,00
FT-075 C LED QS150		Clearance lamp 12-36V, red with reflector, wiring loom dt. 0,5 m and connector QS150.	10	1,16	200	59x39x29	23,20	4000	120x80x165	489,00
FT-075 C+K LED		Clearance lamp 12-36V, red with reflector, angle holder and wiring loom.	10	1,08	200	59x39x29	21,60	4000	120x80x165	457,00
FT-075 C+K LED QS075		Clearance lamp 12-36V, red with reflector, angle holder, wiring loom and connector QS075.	10	1,14	200	59x39x29	22,80	4000	120x80x165	481,00
FT-075 C+K LED QS150		Clearance lamp 12-36V, red with reflector, angle holder, wiring loom and connector QS150.	10	1,18	200	59x39x29	23,60	4000	120x80x165	497,00
FT-075 Z LED		Clearance lamp 12-36V, yellow with reflector and wiring loom.	10	1,06	200	59x39x29	21,20	4000	120x80x165	449,00

										
FT-075 Z LED QS075		Clearance lamp 12-36V, yellow with reflector, wiring loom dl. 0,5 m and connector QS075.	10	1,12	200	59x39x29	22,40	4000	120x80x165	473,00
FT-075 Z LED QS150		Clearance lamp 12-36V, yellow with reflector, wiring loom dl. 0,5 m and connector QS150.	10	1,16	200	59x39x29	23,20	4000	120x80x165	489,00
FT-075 Z+K LED		Clearance lamp 12-36V, yellow with reflector, angle holder and wiring loom.	10	1,08	200	59x39x29	21,60	4000	120x80x165	457,00
FT-075 Z+K LED QS075		Clearance lamp 12-36V, yellow with reflector, angle holder, wiring loom and connector QS075.	10	1,14	200	59x39x29	22,80	4000	120x80x165	481,00
FT-075 Z+K LED QS150		Clearance lamp 12-36V, yellow with reflector, angle holder, wiring loom and connector QS150.	10	1,18	200	59x39x29	23,60	4000	120x80x165	497,00